

2002B148-2 US


OA dated 15 Jun 2006

Response dated 16 Oct 22006

IN THE CLAIMS:

Please amend the claims as follows:

1. (Currently amended) A composition comprising the product of combining, in the presence of a free radical initiator, a catalyst precursor and at least one monomer wherein the monomer and the catalyst precursor are polymerizable by free-radical polymerization and wherein the catalyst precursor compound is represented by the formula:



wherein

- (a) each X is an abstractable ligand;
- (b) ~~Each each~~ R, R', R'', R''', R^{p1} and R^{p2} ~~are is~~ independently selected from hydrogen or a hydrocarbyl group provided at least one of R^{p1}, R^{p2}, ~~or~~ and R''' can be polymerized by a free radical initiator;
- (c) M is a Group-4-11 metal; and

2002B148-2 US

OA dated 15 Jun 2006

Response dated 16 Oct 22006

(d) at least one of R', R'', R''', R^{P1} and R^{P2} is an allyl.

2. (Currently amended) The composition of claim 1 wherein each R, R', R'', R''', R^{P1} and R^{P2} are is independently selected from hydrogen or a C₁-C₅₀ hydrocarbyl group.
3. (Currently amended) The composition of claim 2 wherein
 - (a) ~~Each~~ each R' is independently one of hydrogen, methyl, ethyl, propyl, butyl, cyclohexyl, or phenyl; and
 - (b) ~~R^{P1} R^{P1} and R^{P2} R^{P2}~~ R^{P1} and R^{P2} are independently ~~selected from~~ hydrogen, methyl, ethyl, propyl, butyl, cyclohexyl, phenyl, vinyl, allyl, or ω -olefin provided that at least one of ~~R^{P1} R^{P1} and R^{P2} R^{P2}~~ R^{P1} and R^{P2} can be polymerized by a free radical initiator.
4. (Currently amended) The composition of claim 2 wherein
 - (a) ~~Each~~ each R is independently one of hydrogen, allyl, methyl, or phenyl ~~groups~~;
 - (b) ~~Each~~ each R'' is independently one of hydrogen, methyl, or phenyl ~~groups~~;
 - (c) ~~Each~~ each R''' is independently one of hydrogen, methyl, isopropyl, tertiary butyl, or phenyl.
5. (Currently amended) The composition of claim ~~[[4]]~~ 3 wherein
 - (a) ~~Each~~ each R is independently one of hydrogen, allyl, methyl, or phenyl ~~groups~~;
 - (b) ~~Each~~ each R'' is independently one of hydrogen, methyl, or phenyl ~~groups~~;
 - (c) ~~Each~~ each R''' is independently one of hydrogen, methyl, isopropyl, tertiary butyl, or phenyl.

2002B148-2 US

OA dated 15 Jun 2006

Response dated 16 Oct 22006

6. (Currently amended) The composition of claim 3 wherein M is selected from a ~~Group 8-9~~ Group 8 or 9 transition metal.
7. (Currently amended) The composition of claim 6 wherein M is ~~selected from~~ Fe or Co.
8. (Currently amended) The composition of claim 3 wherein the abstractable ligands, X, are independently hydride radicals[[:]] , hydrocarbyl radicals[[:]] , or hydrocarbyl-substituted[[:]] organometalloid radicals.
9. (Currently amended) The composition of claim 8 wherein the two abstractable ligands, X, join to form a 3-to-40-atom metallacycle ring.
10. (Currently amended) The composition of claim 8 wherein the abstractable ligands, X, are independently halogen, alkoxide, aryloxy, amide, or phosphide radicals.
11. (Currently amended) The composition of matter of claim 10 wherein abstractable ligands, X, are independently chloride, bromide, iodide, methyl, ethyl, propyl, butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl, dodecyl, tridecyl, tetradecyl, pentadecyl, hexadecyl, heptadecyl, octadecyl, nonadecyl, eicosyl, heneicosyl, docosyl, tricosyl, tetracosyl, pentacosyl, hexacosyl, heptacosyl, octacosyl, nonacosyl, triacontyl, hydride, phenyl, benzyl, phenethyl, tolyl, methoxy, ethoxy, propoxy, butoxy, dimethylamino, diethylamino, methylethylamino, phenoxy, and benzoxy, allyl, 1,1-dimethyl allyl, 2-carboxymethyl allyl, acetylacetonate, 1,1,1,5,5,5-hexa-fluoroacetylacetonate, 1,1,1-trifluoro-acetylacetonate, or 1,1,1-trifluoro-5,5-di-methylacetylacetonate radicals.
12. (Original) The composition of matter of claim 11 wherein at least one abstractable ligand is chloride.
13. (Currently amended) The composition of claim 3 wherein the one or more monomers comprise styrene, vinyl styrene, an alkyl styrene, isobutylene, isoprene, or butadiene.

2002B148-2 US

OA dated 15 Jun 2006

Response dated 16 Oct 22006

14. (Original) The composition of claim 13 wherein the one or more monomers comprise styrene.
15. (Currently amended) The composition of claim ~~[[1]]~~ 3 wherein the free radical initiator is selected from ~~an azo initiators~~ initiator or peroxides.
16. (Currently amended) The composition of claim 3 wherein the free radical initiator is ~~selected from~~ dialkyldiazenes, hyponitrites, diacyl peroxides, dialkyl peroxydicarbonates, peresters, alkyl hydroperoxides, dialkyl peroxides, or inorganic peroxides.
17. (Currently amended) The composition of claim 3 wherein the free radical initiator is selected from the group consisting of 2,2'-azobis(2-methylpropanenitrile), 1,1-azobis(1-cyclohexanenitrile), 4,4'-azobis(4-cyanovaleric acid), triphenylmethylazobenzene, di-t-butyl hyponitrite, dicumyl hyponitrite, dibenzoyl peroxide, didodecanoyl peroxide, diacetyl peroxide, diisopropyl ester, dicyclohexyl ester, cumyl hydroperoxide, t-butyl hydroperoxide, dicumyl peroxide, di-t-butyl peroxide, hydrogen peroxide, and persulfate initiators.
18. (Original) A catalyst system comprising the reaction product of the composition of claim 1 and an activator.
19. (Original) The catalyst system of claim 18 wherein the activator is selected from alumoxanes, aluminum alkyls, alkyl aluminum halides, alkylaluminum alkoxides, discrete ionic activators, and Lewis acid activators.
20. (Original) The catalyst system of claim 19 wherein the activator is selected from methylalumoxane, modified methylalumoxane, ethylalumoxane, trimethyl aluminum, triethyl aluminum, triisopropyl aluminum, diethyl aluminum chloride, alkylaluminum alkoxides, ammonium borate salts, phosphonium borate salts, triphenyl carbenium borate

2002B148-2 US

OA dated 15 Jun 2006

Response dated 16 Oct 22006

salts, ammonium aluminate salts, phosphonium aluminate salts, triphenyl carbenium aluminate salts, trisarylborane acids, and polyhalogenated heteroborane anions.

21. (Currently amended) A method to polymerize olefin comprising contacting an olefin and the composition of any of claims 1-17, ~~a method to polymerize olefin comprising contacting.~~
22. (Original) The catalyst system of any of claims 18, 19 or 20 and an olefin.